

Policy on Social Determinants of Children’s Oral Health and Health Disparities

Revised

2022

How to Cite: American Academy of Pediatric Dentistry. Policy on social determinants of children’s oral health and health disparities. The Reference Manual of Pediatric Dentistry. Chicago, Ill.: American Academy of Pediatric Dentistry; 2022:29-33.

Purpose

The American Academy of Pediatric Dentistry (AAPD) recognizes the influence of social factors on children’s oral health including access to care, dental disease, behaviors, and oral health inequalities. The AAPD encourages oral health professionals and policymakers to formally acknowledge the role social determinants of health (SDH) have in producing and perpetuating poor oral health and oral health inequalities in children. Moreover, AAPD encourages the implementation of oral health promotion strategies that account for SDH and appropriate clinical management protocols informed by and sensitive to SDH. All relevant stakeholders (e.g., health professionals, researchers, educators, policy makers) are encouraged to develop strategies that incorporate SDH-related knowledge to improve oral health, prevent dental disease, and address oral health inequalities in children.

Methods

This policy, developed by the Council on Clinical Affairs and adopted in 2017¹, is based on a review of the current literature, including a search of PubMed®/MEDLINE database using the terms: social determinants AND dental; fields: all; limits: English, birth-18 years. A total of 1485 articles matched these criteria. Articles for review were selected from this list, the references within selected articles, and other articles from the literature.

Background

The World Health Organization defines social determinants of health as “the conditions in which people are born, grow, work, live, and age, and the wider set of forces and systems shaping the conditions of daily life”.² Life circumstances are heavily influenced by social behaviors, cultural practices, government policies, and economic and political systems.³ The term SDH implies that improving social conditions is a necessary to optimize health outcomes for vulnerable populations, narrow inequalities, and achieve health equity and social justice. Health equity may be defined as the “fair and just opportunity to be as healthy as possible”⁴, a concept that requires elimination of those societal factors (e.g., poverty, discrimination, lack of access to healthcare) that unfairly result in poorer health for at-risk social groups. Social groups can be identified by many characteristics including ethnicity, religion,

socioeconomic status, gender identity, age, disability status, sexual orientation, or geographic location.^{5,6} From a social justice perspective, addressing SDH is essential to achieving improved oral health outcomes and reducing inequalities for children from historically disadvantaged groups.⁵ One strategy is to prioritize interventions, programs, and policies that properly acknowledge and account for SDH.

Past work has demonstrated gradients in oral health outcomes based on socioeconomic position.^{3,7,8} Measures of socioeconomic position include income, educational attainment, occupation, and race/ethnicity.⁹⁻¹¹ SDH are influenced by socioeconomic position and more broadly embody the social environment and context in which individuals live and make health-related decisions over the life course.^{3,12} Various conceptual models from dentistry include SDH as upstream factors that influence oral health behaviors, dental disease rates, and oral health outcomes.¹³⁻¹⁸ In 2013, the American Academy of Pediatrics published a policy statement that acknowledged the influence of SDH on chronic diseases including dental caries.¹⁹ Since then, the body of scientific research addressing SDH and oral health has grown substantially. Findings from the social determinants of children’s oral health literature can be organized into categories that provide guidance on how dentists, other health professionals, researchers, educators, and policy makers can account for SDH to improve children’s health outcomes. Examples are provided of past efforts and future opportunities to address children’s oral health inequalities through SDH-based interventions, programs, and policies.

SDH commonly are measured at the caregiver or household level. The same SDH that affect a caregiver’s oral health outcomes also affect his children’s oral health directly and indirectly.²⁰ Caregiver level of education influences both material and non-material components of a child’s oral health, including access to and utilization of preventive services, dental knowledge, and oral health behaviors.^{12,21-23} Socioeconomic status was found to mediate the influence of maternal psychological factors (e.g., depression, external locus of control, self-efficacy)

ABBREVIATIONS

AAPD: American Academy Pediatric Dentistry. **SDH:** Social determinants of health.

on oral health in offspring.²³⁻²⁷ Examples of SDH at the household level include food insecurity (defined as reduced quality, variety, or desirability of diet, and disrupted eating patterns with or without reduced food intake²⁸) and overcrowding.^{29,30} These factors can make it difficult for families to afford non-cariogenic food and preventive oral hygiene products or to have designated spaces in the home for important routines like toothbrushing.^{31,32} Children living in settings with multiple social risks are at substantially greater risk for caries.³³ SDH may be reflected by a heavy allostatic load (biological markers of chronic stress) among household members, with implications for poor oral health behaviors and higher caries rates.³⁴ This is particularly worrisome from a life course perspective.³⁵ A small cross-sectional study suggests associations between the adverse effects of socioenvironmental stressors, neuroendocrine factors, and levels of intraoral cariogenic bacteria in children,³⁶ findings that need to be validated with additional studies. Examples of ways in which chronic stress associated with socioeconomic status leads to negative physiologic effects on oral health include pro-inflammatory, endocrine, and microbiological responses.³⁷ Furthermore, poverty and stress could influence child temperament³⁸, which in turn may affect behaviors in dental settings³⁹, including the ability to cooperate for dental procedures^{40,41}.

SDH are also measured within neighborhoods and communities. Neighborhood income is positively associated with oral health-related behaviors like improved oral hygiene practices and lower dental disease levels for children.^{21,42-45} In addition, higher levels of income inequality within a community are associated with poorer oral health outcomes.⁴⁶

Social capital, a term that encompasses social support, social networks, and social cohesion, is an important SDH that affects both individuals and communities.⁴⁷ Social support is tied to emotional development in adolescents, including self-efficacy, trust, and avoidance of detrimental oral health behaviors.⁴⁸ Weak social ties and social networks are associated with poor oral health outcomes.^{21,49-51} Social capital may manifest as neighborhood resources such as community centers that benefit the oral health of members.⁵² Studies generally have reported positive health outcomes associated with greater levels of social capital⁵³⁻⁵⁶, but at least one study⁵⁷ found negative outcomes. These findings suggest that enhancing social capital is beneficial, but that social norms can influence the way in which resources are deployed, which can lead to suboptimal oral health behaviors and poor outcomes.

Structural determinants of health are formed by the economic, political, and social policies that modulate SDH.⁶ Economic policies affect employment to population ratios, standard of living, and individual cost of living, which in turn influence access to health insurance or ability to pay for healthcare expenses. Policies that have expanded Medicaid access, reduced influences of neighborhood poverty, and invested in education quality have demonstrated long-term positive health outcomes for youth.⁵⁸ The determination of public insurance coverage for specific procedures, including the cost

of general anesthesia during dental treatment, is at the discretion of individual states rather than the federal government. Depending on individual state Medicaid policies, out-of-pocket costs may be prohibitive and divert patients toward less ideal treatment options for behavior management.⁵⁹ Inability to pay for services may preclude some children from receiving treatment at all. Sociolegal policies that regulate insurance coverage, including those related to preauthorization and informed consent, have been shown to delay or prevent adolescents from obtaining health services.⁶⁰

Translational science has led to the development of pediatric oral health interventions that address SDH. For example, Baby Smiles was a community-based randomized trial that implemented motivational interviewing in conjunction with age one dental visits for those with Medicaid.⁶¹ The program focused on improving the health of the mothers as well as on prevention for their at-risk children. Other initiatives, such as school-based sealant programs, have developed strategies to overcome socioenvironmental barriers to oral healthcare and reach at-risk children.⁶² A recent evaluation found that school-based sealant programs resulted in benefits that outweighed costs, including reduced rates of dental caries, untreated decay, and school absenteeism.⁶³ It is imperative that future oral health interventions account for SDH and aim to achieve greater health equity for all children.

Systematic policies and environmental changes that improve living conditions and alleviate poverty are necessary to address SDH. Examples include universal housing programs, emergency rental assistance, public health insurance programs like Medicare, Medicaid, and Children's Health Insurance Program (CHIP), and programs that mediate food insecurity such as Supplemental Nutrition Assistance Program (SNAP) and the National School Lunch Program (NSLP). Broader policies are likely to have the long-term impact needed to improve the conditions in which vulnerable families and children live.

Policy Statement

Recognizing the importance of the social determinants of oral health for children, the AAPD:

- supports broader policies and programs that help to alleviate poverty and social inequalities.
- encourages dentists and the oral health care team to collect a social history from patients, provide anticipatory guidance that is sensitive to SDH, and connect patients with helpful resources (e.g., social service organizations, food banks) when needed.
- supports inter-professional educational approaches to train students as well as practicing dentists and health professionals on the social determinants of health.⁶⁴⁻⁶⁷
- endorses interdisciplinary approaches to improve oral health that account for social determinants of chronic diseases.^{68,69}
- supports additional research to understand mechanisms underlying the social determinants of oral health.⁷⁰

References

1. American Academy of Pediatric Dentistry. Policy on social determinants of children's oral health and health disparities. *Pediatr Dent* 2017;39(6):23-6.
2. World Health Organization (WHO). Social Determinants of Health. Health topics. Available at: "https://www.who.int/health-topics/social-determinants-of-health#tab=tab_1". Accessed July 26, 2022.
3. da Fonseca MA, Avenetti D. Social determinants of pediatric oral health. *Dent Clin North Am* 2017;61(3):519-32.
4. Braveman PA. Swimming against the tide: Challenges in pursuing health equity today. *Acad Med* 2019;94(2):170-1.
5. Braveman P. What are health disparities and health equity? We need to be clear. *Public Health Rep* 2014;129 (Suppl 2):5-8.
6. Baker SR, Foster Page L, Thomson WM, et al. Structural determinants and children's oral health: A cross-national study. *J Dent Res* 2018;97(10):1129-36.
7. Knorst JK, Sfreddo CS, de F Meira G, et al. Socioeconomic status and oral health-related quality of life: A systematic review and meta-analysis. *Community Dent Oral Epidemiol* 2021;49(2):95-102.
8. Sabbah W, Tsakos G, Chandola T, et al. Social gradients in oral and general health. *J Dent Res* 2007;86(10):992-6.
9. Chalub LL, Borges CM, Ferreira RC, et al. Association between social determinants of health and functional dentition in 35-year-old to 44-year-old Brazilian adults: A population-based analytical study. *Community Dent Oral Epidemiol* 2014;42(6):503-16.
10. Joury E, Khairallah M, Sabbah W, et al. Inequalities in the frequency of free sugars intake among Syrian 1-year-old infants: A cross-sectional study. *BMC Oral Health* 2016;16(1):94.
11. Stein C, Cunha-Cruz J, Hugo FN. Is dietary pattern a mediator of the relationship between socioeconomic status and dental caries? *Clin Oral Investig* 2021;25(9):5441-7.
12. Schwendicke F, Dörfer CE, Schlattmann P, et al. Socioeconomic inequality and caries: A systematic review and meta-analysis. *J Dent Res* 2015;94(1):10-8.
13. Patrick DL, Lee RS, Nucci M, Grembowski D, Jolles CZ, Milgrom P. Reducing oral health disparities: A focus on social and cultural determinants. *BMC Oral Health* 2006;6(Suppl 1):S4.
14. Fisher-Owens SA, Gansky SA, Platt LJ, et al. Influences on children's oral health: A conceptual model. *Pediatrics* 2007;120(3):e510-20.
15. Marmot M, Bell R. Social determinants and dental health. *Adv Dent Res* 2011;23(2):201-6.
16. Chi DL. Reducing Alaska Native paediatric oral health disparities: A systematic review of oral health interventions and a case study on multilevel strategies to reduce sugar-sweetened beverage intake. *Int J Circumpolar Health* 2013;72:21066.
17. Casamassimo PS, Lee JY, Marazita ML, et al. Improving children's oral health: An interdisciplinary research framework. *J Dent Res* 2014;93(10):938-42.
18. Lee JY, Divaris K. The ethical imperative of addressing oral health disparities: A unifying framework. *J Dent Res* 2014;93(3):224-30.
19. Gorski PA, Kuo AA, Granado-Villar DC, et al. Community pediatrics: Navigating the intersection of medicine, public health, and social determinants of children's health. *Pediatrics* 2013;131(3):623-8.
20. Moimaz SA, Fadel CB, Lolli LF, et al. Social aspects of dental caries in the context of mother-child pairs. *J Appl Oral Sci* 2014;22(1):73-8.
21. Duijster D, van Loveren C, Dusseldorp E, Verrips GH. Modelling community, family, and individual determinants of childhood dental caries. *Eur J Oral Sci* 2014;122(2):125-33.
22. Rai NK, Tiwari T. Parental factors influencing the development of early childhood caries in developing nations: A systematic review. *Front Public Health* 2018;6:64.
23. Sun L. The association between postpartum depression and early childhood caries. *Acta Odontol Scand* 2020;78(5):352-7.
24. Knoblauch U, Ritschel G, Weidner K, et al. The association between socioeconomic status, psychopathological symptom burden in mothers, and early childhood caries of their children. *PLoS One* 2019;14(10):e0224509.
25. Pappas A, Raja S, da Fonseca MA, Stanford CM, LeHew CW. Female caregiver's depression risk affects children's attendance to dental appointments: A pilot study. *Pediatr Dent* 2020;42(6):464-9.
26. Arora A, Lucas D, To M, et al. How do mothers living in socially deprived communities perceive oral health of young children? A qualitative study. *Int J Environ Res Public Health* 2021;18(7):3521.
27. Costa FDS, Azevedo MS, Ardenghi TM, et al. Do maternal depression and anxiety influence children's oral health-related quality of life? *Community Dent Oral Epidemiol* 2017;45(5):398-406.
28. U.S. Department of Agriculture Economic Research Service. Definition of Food Security. Available at: "<https://www.ers.usda.gov/topics/food-nutrition-assistance/food-security-in-the-us/definitions-of-food-security/>". Accessed July 26, 2022.
29. Chi DL, Masterson EE, Carle AC, et al. Socioeconomic status, food security, and dental caries in U.S. children: Mediation analyses of data from the National Health and Nutrition Examination Survey, 2007-2008. *Am J Public Health* 2014;104(5):860-4.
30. Paula JS, Ambrosano GM, Mialhe FL. The impact of social determinants on schoolchildren's oral health in Brazil. *Braz Oral Res* 2015;29:1-9.
31. Angelopoulou MV, Shanti SD, Gonzalez CD, Love A, Chaffin J. Association of food insecurity with early childhood caries. *J Public Health Dent* 2019;79(2):102-8.

32. Hill, B. Evaluating the association between food insecurity and dental caries in US children 1-19 years: Results from the National Health and Nutrition Examination Survey (NHANES) 2013-2014. *J Public Health Dent* 2020;80(1):14-7.
33. Yang AJ, Gromoske AN, Olson MA, Chaffin JG. Single and cumulative relations of social risk factors with children's dental health and care-utilization within regions of the United States. *Matern Child Health J* 2016;20(3):495-506.
34. Masterson EE, Sabbah W. Maternal allostatic load, care-taking behaviors, and child dental caries experience: A cross-sectional evaluation of linked mother-child data from the Third National Health and Nutrition Examination Survey. *Am J Public Health* 2015;105(11):2306-11.
35. Boyce WT. The lifelong effects of early childhood adversity and toxic stress. *Pediatr Dent* 2014;36(2):102-8.
36. Boyce WT, Den Besten PK, Stamperdahl J, et al. Social inequalities in childhood dental caries: The convergent roles of stress, bacteria and disadvantage. *Soc Sci Med* 2010;71(9):1644-52.
37. Gomaa N, Glogauer M, Tenenbaum H, et al. Social-biological interactions in oral disease: A 'cells to society' view. *PLoS One* 2016;11(1):e0146218.
38. Strickhouser JE, Sutin AR. Family and neighborhood socioeconomic status and temperament development from childhood to adolescence. *J Pers* 2020;99(3):515-29.
39. Quiñonez RB, Santos RG, Eckert GJ, et al. Influence of temperament as a risk indicator for early childhood caries. *Pediatr Dent* 2020;42(6):470-5.
40. da Fonseca MA. Eat or heat? The effects of poverty on children's behavior. *Pediatr Dent* 2014;36(2):132-7.
41. Fisher-Owens S. Broadening perspectives on pediatric oral health care provision: Social determinants of health and behavioral management. *Pediatr Dent* 2014;36(2):115-20.
42. Martens L, Vanobbergen J, Willems S, et al. Determinants of early childhood caries in a group of inner-city children. *Quintessence Int* 2006;37(7):527-36.
43. Mathur MR, Tsakos G, Millett C, et al. Socioeconomic inequalities in dental caries and their determinants in adolescents in New Delhi, India. *BMJ Open* 2014;4(12):e006391.
44. Mathur MR, Tsakos G, Parmar P, et al. Socioeconomic inequalities and determinants of oral hygiene status among Urban Indian adolescents. *Community Dent Oral Epidemiol* 2016;44(3):248-54.
45. Priesnitz MC, Celeste RK, Pereira MJ, et al. Neighbourhood determinants of caries experience in preschool children: A multilevel study. *Caries Res* 2016;50(5):455-61.
46. Moeller J, Starkel R, Quinonez C, Vujcic M. Income inequality in the United States and its potential effect on oral health. *J Am Dent Assoc* 2017;148(6):361-8.
47. Duh-Leong C, Dreyer BP, Huang TT, et al. Social capital as a positive social determinant of health: A narrative review. *Acad Pediatr* 2021;21(4):594-9.
48. Fontanini H, Marshman Z, Vettore M. Social support and social network as intermediary social determinants of dental caries in adolescents. *Community Dent Oral Epidemiol* 2015;43(2):172-82.
49. Zini A, Sgan-Cohen HD, Marcenes W. Religiosity, spirituality, social support, health behaviour and dental caries among 35- to 44-year-old Jerusalem adults: A proposed conceptual model. *Caries Res* 2012;46(4):368-75.
50. Vettore MV, Faerstein E, Baker SR. Social position, social ties and adult's oral health: 13 year cohort study. *J Dent* 2016;44:50-6.
51. Vettore MV, Ahmad SFH, Machuca C, Fontanini H. Socio-economic status, social support, social network, dental status, and oral health reported outcomes in adolescents. *Eur J Oral Sci* 2019;127(2):139-46.
52. Guedes RS, Piovesan C, Antunes JL, et al. Assessing individual and neighborhood social factors in child oral health-related quality of life: A multilevel analysis. *Qual Life Res* 2014;23(9):2521-30.
53. Iida H, Rozier RG. Mother-perceived social capital and children's oral health and use of dental care in the United States. *Am J Public Health* 2013;103(3):480-7.
54. Santiago BM, Valença AM, Vettore MV. Social capital and dental pain in Brazilian northeast: A multilevel cross-sectional study. *BMC Oral Health* 2013;13:2.
55. Reynolds, JC, Damiano PC, Glanville JL, et al. Neighborhood and family social capital and parent-reported oral health of children of Iowa. *Community Dent Oral Epidemiol* 2015;43(6):569-77.
56. Knorst JK, Menegazzo GR, Emmanuelli B, et al. Effect of neighborhood and individual social capital in early childhood on oral health-related quality of life: A 7-year cohort study. *Qual Life Res* 2019;28(7):1773-82.
57. Chi DL, Carpiano RM. Neighborhood social capital, neighborhood attachment, and dental care use for Los Angeles Family and Neighborhood Survey adults. *Am J Public Health* 2013;103(4):e88-95.
58. Venkataramani AS, O'Brien R, Whitehorn GL, Tsai AC. Economic influences on population health in the United States: Toward policymaking driven by data and evidence. *PLoS Med* 2020;17(9):e1003319.
59. Edelstein BL. Insurers' policies on coverage for behavior management services and the impact of the Affordable Care Act. *Pediatr Dent* 2014;36(2):145-51.
60. Garney W, Wilson K, Ajayi KV, et al. Social-ecological barriers to access to healthcare for adolescents: A scoping review. *Int J Environ Res Public Health* 2021;18(8):4138.
61. Milgrom P, Riedy CA, Weinstein P, et al. Design of a community-based intergenerational oral health study: "Baby Smiles". *BMC Oral Health* 2013;13:38.

62. Siegal MD, Detty AM. Do school-based dental sealant programs reach higher risk children? *J Public Health Dent* 2010;70(3):181-7.
63. Griffin SO, Naavaal S, Scherrer C, et al. Community Preventive Services Task Force. Evaluation of school-based dental sealant programs: An updated community guide systematic economic review. *Am J Prev Med* 2017;52(3):407-15.
64. Lapidos A, Gwozdek A. An interprofessional approach to exploring the social determinants of health with dental hygiene students. *J Allied Health* 2016;45(3):e43-7.
65. Lévesque MC, Levine A, Bedos C. Ideological roadblocks to humanizing dentistry, an evaluative case study of a continuing education course on social determinants of health. *Int J Equity Health* 2015;14:41.
66. Lévesque M, Levine A, Bedos C. Humanizing oral health care through continuing education on social determinants of health: Evaluative case study of a Canadian private dental clinic. *J Health Care Poor Underserved* 2016;27(3):971-92.
67. Foster Page LA, Chen V, Gibson B, McMillan J. Overcoming structural inequalities in oral health: The role of dental curricula. *Community Dent Health* 2016;33(2):168-72.
68. Newton JT. Interdisciplinary health promotion: A call for theory-based interventions drawing on the skills of multiple disciplines. *Community Dent Oral Epidemiol* 2012;40(Suppl 2):49-54.
69. Watt RG, Sheiham A. Integrating the common risk factor approach into a social determinants framework. *Community Dent Oral Epidemiol* 2012;40(4):289-96.
70. Newton JT, Bower EJ. The social determinants of oral health: New approaches to conceptualizing and researching complex causal networks. *Community Dent Oral Epidemiol* 2005;33(1):25-34.